

Specification Sheet

Model # 57RFT-8A-CC



MISCO®

Key Features:

- 2.2" (57 mm), 8 ohm
- 4 watts
- Ferrite magnet, black phenolic treated cloth cone with glass fiber surround
- RoHS Compliant;

Product Specifications & Parameters

Primary Specifications

Speakers Environment	Outdoor
RoHS Compliant	Yes

Technical Specifications

		Units of Measure
Nominal Basket Diameter	2.2	inch
	57.0	mm
Rated Impedance	8	ohms
Rated Power	4.0	Watts
Program Power	8	Watts
Frequency Range	1250 - 13,000	Hz
Sensitivity (2.83 V input measured at 1 Meter)	99	dB SPL
Voice Coil Diameter	0.6 / 15.2	inch / mm
Magnet Weight	0.8 / 23	oz / gr
Transformer		


Small Signal Parameters

		Units of Measure
Resonant Frequency (fo)	1250	Hz
D.C. Resistance (Re)	6.8	ohms
Mechanical Q (Qms)	12.5	
Electrical Q (Qes)	20.42	
Total Q (Qts)	7.76	
Compliance Equivalent Volume (Vas)		ltr
BL Product (BL)		T-M
Maximum Linear Excursion (Xmax)		mm
Surface Area of Cone (Sd)		cm ²
Moving Mass (Mmd)		g

Material Descriptions

Basket	Stamped Steel
Terminal Size	0.110 X 0.02
Magnet	Ferrite
Voice Coil Wire	Copper
Voice Coil Form	Paper
Cone	black phenolic treated cloth
Cone Edge	Black Phenolic Treated Cloth
Dust Cap	Mylar

Sensitivity / Frequency



Drawing

ID	Description	Measurements	Tolerance
Od	Outside Diameter	2.3 in.	+/- 0.020"
CD	Cutout Diameter	2.0 in.	+/- 0.020"
MG	Magnet Diameter	1.4 in.	+/- 0.050"
HD	Hole Diameter	in.	+/- 0.010"
MD	Mounting Diameter	in.	+/- 0.010"
ID	Internal Depth	0.9 in.	+/- 0.025"
FT	Flange Thickness	0.1 in.	+/- 0.050"
NW	Net Weight	80.0 g	

