

# Specification Sheet

Model # JC69CD



## MISCO®

### Key Features:

- 6 X 9" (156 X 230mm), 8 ohm
- Full Range, 15 watts
- Ferrite magnet, paper cone with pre-treated black cloth surround;

## Product Specifications & Parameters

### Primary Specifications

Speakers Environment	Indoor
RoHS Compliant	No

### Technical Specifications

		Units of Measure
Nominal Basket Diameter	6.0 x 9.0	inch
	156.0 x 230.0	mm
Rated Impedance	8	ohms
Rated Power	15.0	Watts
Program Power	30	Watts
Frequency Range	55 - 15000	Hz
Sensitivity (2.83 V input measured at 1 Meter)	92	dB SPL
Voice Coil Diameter	1.0 / 25.4	inch / mm
Magnet Weight	10.0 / 284	oz / gr
Transformer		


### Small Signal Parameters

		Units of Measure
Resonant Frequency (fo)	61	Hz
D.C. Resistance (Re)	6.8	ohms
Mechanical Q (Qms)	2.2	
Electrical Q (Qes)	0.71	
Total Q (Qts)	0.54	
Compliance Equivalent Volume (Vas)	39.1	ltr
BL Product (BL)	6.8	T-M
Maximum Linear Excursion (Xmax)	1.5	mm
Surface Area of Cone (Sd)	210.0	cm <sup>2</sup>
Moving Mass (Mmd)		g

### Material Descriptions

Basket	Stamped Steel
Terminal Size	0.205 x 0.02
Magnet	Ferrite
Voice Coil Wire	Copper
Voice Coil Form	Aluminum
Cone	Paper
Cone Edge	Pre-treated Black Cloth
Dust Cap	Paper

## Sensitivity / Frequency



## Drawing

ID	Description	Measurements	Tolerance
Od	Outside Diameter	9.1 in.	+/- 0.020"
CD	Cutout Diameter	8.6 in.	+/- 0.020"
MG	Magnet Diameter	3.4 in.	+/- 0.050"
HD	Hole Diameter	0.3 in.	+/- 0.010"
MD	Mounting Diameter	4.6 in.	+/- 0.010"
ID	Internal Depth	2.9 in.	+/- 0.025"
FT	Flange Thickness	0.15 in.	+/- 0.050"
NW	Net Weight	962.0 g	

